





EASY PAVING

THE NEW INSTALLATION SYSTEM



LL

EASY PAVING

The new installation system

A L'Altra Pietra Product designed to ease the laying of sintered stone paving with **40x80 cm** slabs in two different thicknesses: **2 and 3 cm**.

The product is made of 100% post-consumer **recycled plastic** and it is **100% recyclable** after its use. The dry laying simplifies and speeds up installation which does not require glue or concrete.

Its structure was designed to avoid chipping and keep the joint thickness constant along the entire paving, without the use of spacers.

EASY PAVING is a **resistant and drive-over** product for light traffic*, **draining and sound-absorbing**.

Furthermore, being dry laid, the product can be easily removed for possible inspections.

*only for slabs with a thickness of 3 cm

DESTINATIONS






COURTYARDS



TERRACES

ADVANTAGES



LAYING INSTALLATION

The tile can easily be laid inside the interlocking tabs




EASY TO LAY

The installation is simple and quick. Ideal for temporary projects and/or for DIY



NO GLUE AND CONCRETE

Thanks to dry laying of EASY PAVING no glue or concrete are needed




40x80 cm

Designed for Granulati Zandobbio 40x80 cm sintered stone tiles in 2 and 3 cm thickness




ECO-FRIENDLY

Made of 100% post-consumer recycled plastic and it is 100% recyclable after its use




DRIVE OVER

When used with 3cm thickness tiles the product is drive over for light traffic




PEDESTALS NOT REQUIRED

EASY PAVING doesn't need additional accessories for its use



CONSTANT JOINT THICKNESS

It guarantees a constant joint thickness without using spacers




DRAINING

The particular structure of EASY PAVING allows for continuous drainage of water



SOUND ABSORBING

The space between the base and the external environment reduces the passage of noises




AVOIDS CHIPPING

The tabs can also be used as tile protective elements in order to avoid chipping




COMFORTABLE PAVING

The material of the product positively affects the comfort of the laid paving



REUSABLE

The installation is not permanent. It can then be removed, reused and relocated



EASY TO REMOVE

The product can be easily removed for possible inspections



TEMPORARY EXHIBITIONS

EASY PAVING

THE NEW INSTALLATION SYSTEM

